

Safety Data Sheet

according to Regulation (EU) 2015/830 Revision date: 31/05/2018

Version: 04

|                                     |                     |   |                            | Version:                       |
|-------------------------------------|---------------------|---|----------------------------|--------------------------------|
| SECTION 1: IDENTIFIC                | ATION OF THE S      | UBSTANCE/MIXTU  | <b>RE AND OF THE COMP</b>  | ANY/UNDERTAKING                |
|                                     |                     |   |                            |                                |
| .1 Product Identifier:              |                     |   |                            |                                |
| Product Name<br>Trade Name          |                     | C: Co-12 E/LA   | IOATE) IN LOW AROMATIC     | WHITE SPIRITS                  |
|                                     | . COMA              | C. CO-12 E/LA   |                            |                                |
| .2 Relevant identified use          | es of the substance | or mixture and uses a   | dvised against:            |                                |
| ntended Use                         |                     | er Accelerator  |                            |                                |
| 1.3 Details of Supplier of t        | he safety data shee | t:  |                            |                                |
| Manufacturer & supplier             |                     |   |                            |                                |
| COMAR Chemicals (Pty) L             | td                  |   |                            |                                |
| Neil Hare Road                      |                     |   |                            |                                |
| Atlantis Industrial                 |                     |   |                            |                                |
| Cape Town                           |                     |   |                            |                                |
| South Africa                        |                     |   |                            |                                |
| Геl : (+27) 21 577-1333             |                     |   |                            |                                |
| ax :(+27) 21 577-1343               |                     |   |                            |                                |
| e-mail: info@comarchem.co           | <u>.za</u>          |   |                            |                                |
| www.comarchem.com                   |                     |   |                            |                                |
| .4 Emergency Telephone              |                     |   |                            |                                |
| Emergency number                    | +27-827740071 /     | +27 21 5771333/ +27 82  | 25774766                   |                                |
| SECTION 2: HAZARDS                  | IDENTIFICATION      |   |                            |                                |
|                                     |                     |   |                            |                                |
| 2.1 <u>Classification of the su</u> | Ibstance or mixture |   |                            |                                |
| Classification according to         | Regulation (EC) N   | o. 1272/2008 [CLP/GH  | S]                         |                                |
| Classification                      | : Flam. L           | iq. 3, H226   |                            |                                |
|                                     | Skin Irri           | t. 2, H315  |                            |                                |
|                                     |                     | x. 1, H304  |                            |                                |
|                                     | Aquatic             | Chronic 2, H412   |                            |                                |
|                                     | Пали                | a a la linuid and una sum   |                            |                                |
| Physical/chemical hazards           |                     | nable liquid and vapour.  |                            |                                |
| Human health hazards                |                     | e fatal if swallowed and  | enters airways.            |                                |
|                                     |                     | ng to skin.<br>urs may cause drowsing                                   | ss and dizzinoss           |                                |
| Environmental hazards               | - Toxic             | Irs may cause drowsine  | ay cause long-term adverse | offects                        |
|                                     |                     | aquatic environment.  | ay cause long-term adverse | 6 6116613                      |
|                                     |                     |   |                            |                                |
| 2.2 Label Elements                  |                     |   |                            |                                |
| lazard pictograms                   | :                   |   |                            |                                |
| lazaru pictograms                   | •                   |   |                            |                                |
|                                     | A.                  |   |                            | NV                             |
|                                     |                     |   |                            | $\langle \Upsilon_{2} \rangle$ |
|                                     |                     |   |                            |                                |
|                                     | •                   | •   | •                          | $\mathbf{V}$                   |
| (                                   | GHS02               | GHS08   | GHS07                      | GHS09                          |
|                                     | -                   |   |                            |                                |
| Signal Word                         | : Dan               |   | l                          |                                |
| Hazard Statements                   | : H220              | 5 - Flammable liquid and  | a vapour.                  |                                |
|                                     |                     | 5 - Causes skin irritation  |                            |                                |
|                                     |                     |   | wed and enters airways.    |                                |
|                                     |                     | <ol> <li>May cause drowsines</li> <li>Toxic to aquatic life.</li> </ol> | SS UT UIZZINESS.           |                                |
|                                     | H40                 | i - Toxic to aquatic life.  |                            |                                |
|                                     |                     |   |                            |                                |

## Safety Data Sheet

according to Regulation (EU) 2015/830 Revision date: 31/05/2018

| Additional warning phrases      | :                 | Repeated exposure may cause skin dryness or cracking.  |
|---------------------------------|-------------------|--|
| Precautionary statements        |                   |  |
| Prevention                      | :                 | <ul> <li>P210: Keep away from heat/sparks/open flames/hot surfaces – No smoking</li> <li>P240: Ground/bond container and receiving equipment</li> <li>P280: Wear protective gloves/protective clothing/eye protection/face</li> <li>protection.</li> <li>P243: Take precautionary measures against static discharge.</li> <li>P273: Avoid release to the environment.</li> </ul> |
| Response                        | :                 | P301+PP310: IF SWALLOWED: Immediately call a POISON CENTRE or<br>physician.<br>P331: Do NOT induce vomiting.<br>P303+P361+P353: IF ON SKIN (or hair): Take off immediately all<br>contaminated clothing. Rinse skin with water or shower.  |
| Storage                         | :                 | P403+P235: Store in a well ventilated place. Keep cool.  |
| Disposal                        | :                 | P501: Dispose of contents and container in accordance with all local, regional, national and international regulations.  |
| 2.3 Other Hazards               |                   |  |
| Other hazards which do not resu | ult in classifica | ation : None known   |

### SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

**Product definition (REACH)** : Mixture

| Name   | Product identifier                     | %     | Classification<br>according to<br>Regulation (EC) No.<br>1272/2008 [CLP]   |
|--|--|-------|--|
| Cobalt bis (2-ethylhexanoate)                | (CAS No) 136-52-7<br>(EC no) 205-250-6 | 71    |  |
| Naphtha (petroleum), hydrodesulfurised heavy | EINECS: 265-185-4<br>CAS: 64742-82-1   | 25    | Flam. Liq.3 , H226<br>Skin Irrit. 2, H315                                  |
| Glycol Ether                                 | (CAS No) 111-76-2<br>(EC No) 203-905-0 | 1 - 5 |  |
|  |  |       | See Section 16 for<br>the full text of the<br>H-phrases<br>declared above. |

Occupational exposure limits, if available, are listed in Section 8.

Version: 04

### **Safety Data Sheet**

according to Regulation (EU) 2015/830 Revision date: 31/05/2018

Version: 04

| SECTION 4: FIRST AID MEASU            | JRES |   |  |  |  |
|---------------------------------------|------|---|--|--|--|
| 4.1 Description of First Aid measures |      |   |  |  |  |
| After Inhalation                      | :    | Keep victim calm and remove to fresh air if safe to do so. If<br>rapid recovery does not occur, transport to nearest medical facility for<br>additional treatment |  |  |  |
| After skin contact                    | :    | Remove clothing and wash affected areas thoroughly with water and soap.   |  |  |  |
| After eye contact                     | :    | Rinse thoroughly with water until irritation stops. If irritation continues, consult a Doctor.  |  |  |  |
| After Ingestion                       | :    | If swallowed, do NOT induce vomiting. Transport to nearest medical facility for additional treatment.   |  |  |  |

4.2 Most important symptoms & effects, both acute & delayed See Section 11 for more detailed information on health effects and symptoms

4.3 Indication of any immediate medical attention and special treatment needed See Section 11 for more detailed information on health effects and symptoms

### SECTION 5: FIRE FIGHTING MEASURES

| 5.1 Extinguishing media                |         |  |
|--|---------|--|
| Suitable Extinguishing media           | :       | Powder, foam, sand, or $CO_2$  |
| Un-suitable extinguishing media        | :       | Do not use water-jet   |
| ······································ |         |  |
|  |         |  |
| 5.2 Special hazards arising from the   | substar | <u>nce or mixture</u>  |
| Hazardous combustion product           | :       | Decomposition may include the following products: Metal oxides and/ Carbon oxides. |
|  |         |  |
| 5.3 Advice for fire-fighters           |         |  |
| Special precautions for                |         | Promptly isolate the scene by removing all persons from the                        |
| fire-fighters                          | :       | vicinity of the incident if there is a fire. No action shall be taken              |
|  | •       | involving any personal risk or without suitable training. Move                     |
|  |         | containers from fire area if this can be done without risk.                        |
|  |         |  |
| Special Protection Equipment           |         |  |
| for fire-fighters                      |         | Fire-fighters should wear appropriate protective equipment and                     |
| -                                      |         | self-contained breathing apparatus (SCBA).   |

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures Remove sources of ignition. Ground containers. Ensure sufficient ventilation, or provide respiratory protection. Protect eyes and skin.

6.2 Environmental precautions Inform relevant local authorities.

Inform inhabitants of areas that will be affected of possible fire / explosion.

6.3 Methods and materials for containment and clean-up

Do not allow ingress into ground or surface water, or drainage systems. Fill into containers and dispose at toxic waste disposal sites. Local regulations must be observed.

### 6.4 Reference to other Sections

Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

### Safety Data Sheet

according to Regulation (EU) 2015/830 Revision date: 31/05/2018

Version: 04

### SECTION 7: HANDLING AND STORAGE

| 7.1 Precautions for safe handling |   |  |
|-----------------------------------|---|--|
| Precautions for safe handling     | : | Do not smoke. Remove sources of ignition. Avoid contact with skin, eyes<br>and clothing. Handle material in adequately ventilated areas. Ensure<br>proper use of recommended safety apparel. Do not use compressed air or<br>compressed oxygen for transfer of product. Partially used drums must be<br>securely closed after use. |

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area. Keep away from incompatible materials such as oxidising agents. Ensure material is kept in a closed container. Keep away from ignition sources.

### SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

### 8.1. Control parameters

Components with limit values that require monitoring at the workplace: Relevant exposure limits are:

•

### Cobalt (Dust and Fumes): ACGIH (America)

ACGIH (America) TLV: 0.02 mg/m<sup>3</sup> (TWA) End of Shift: 15µg/l – urine 1µg/l - blood OSHA PEL: 0.1 mg/m<sup>3</sup> (TWA) SAIOH (South Africa) Occupational Exposure Limit – recommended limit 0.1 mg/m<sup>3</sup>

### Naphtha (petroleum), hydrodesulfurised heavy ACGIH (America) TLV-TWA: 100 ppm, 525 mg/m<sup>3</sup>

### Glycol Ether:

ACGIH (America) TLV-TWA: 20 ppm (8 hours) OSHA PEL Z1: 240 mg/m<sup>3</sup>

Recommended monitoring procedures

If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

## Safety Data Sheet

according to Regulation (EU) 2015/830 Revision date: 31/05/2018

Version: 04

| Exposure Controls   |            |  |  |
|---|------------|--|--|
| nd protection   | :          | Approved Dust Respirator recommended.  |  |
| e protection  | :          | Full-cover goggles recommended   |  |
| in protection   | :          | PVC/rubber gloves (impervious)   |  |
|   |            |  |  |
| giene measures  | :          | Keep away from food. Wash hands thoroughly with water and soap before breaks and at the end of a work day. Provide separate storage of work clothes and private clothes.   |  |
|   |            | and private ciotites.  |  |
| ECTION 9: PHYSICAL AND  | CHEMICA    | •  |  |
|   |            | L PROPERTIES   |  |
| CTION 9: PHYSICAL AND   |            | L PROPERTIES   |  |
| Information on basic physical   |            | L PROPERTIES   |  |
| Information on basic physical Appearance:   |            | L PROPERTIES   |  |
| Information on basic physical<br>Appearance:<br>Physical state  |            | L PROPERTIES cal properties Clear Liquid   |  |
| Information on basic physical<br>Appearance:<br>Physical state<br>Colour<br>Odour   | and chemic | L PROPERTIES cal properties Clear Liquid Clear Liquid Slight oil/alcohol smell   |  |
| Information on basic physical<br>Appearance:<br>Physical state<br>Colour<br>Odour<br>Important health, safety a   | and chemic | L PROPERTIES  cal properties  Clear Liquid  Violet Slight oil/alcohol smell  |  |
| Information on basic physical<br>Appearance:<br>Physical state<br>Colour<br>Odour   | and chemic | L PROPERTIES  cal properties  Clear Liquid  Violet Slight oil/alcohol smell  mental information:   |  |
| Information on basic physical<br>Appearance:<br>Physical state<br>Colour<br>Odour<br>Important health, safety an<br>Boiling Point   | and chemic | L PROPERTIES  cal properties  Clear Liquid  Violet Slight oil/alcohol smell  mental information:  > >140 °C  not measurable  |  |
| Information on basic physical<br>Appearance:<br>Physical state<br>Colour<br>Odour<br>Important health, safety an<br>Boiling Point<br>pH<br>Flash Point  | and chemic | L PROPERTIES  cal properties  Clear Liquid C |  |
| Information on basic physical<br>Appearance:<br>Physical state<br>Colour<br>Odour<br>Important health, safety an<br>Boiling Point<br>pH   | and chemic | L PROPERTIES  cal properties  Clear Liquid  Violet Slight oil/alcohol smell  mental information:  >>140 °C not measurable >>35 °C (as per ASTM D93)  |  |
| Information on basic physical<br>Appearance:<br>Physical state<br>Colour<br>Odour<br>Important health, safety an<br>Boiling Point<br>pH<br>Flash Point<br>Solidification Temperature  | and chemic | L PROPERTIES  cal properties  Clear Liquid  Violet Slight oil/alcohol smell  mental information:  >>140 °C not measurable >>35 °C (as per ASTM D93) <  |  |
| Information on basic physical<br>Appearance:<br>Physical state<br>Colour<br>Odour<br>Important health, safety an<br>Boiling Point<br>pH<br>Flash Point<br>Solidification Temperature<br>Density<br>SOLVENT                        | and chemic | L PROPERTIES  cal properties  Clear Liquid  Violet Slight oil/alcohol smell  mental information:  >>140 °C not measurable >>35 °C (as per ASTM D93) <  |  |
| Information on basic physical<br>Appearance:<br>Physical state<br>Colour<br>Odour<br>Important health, safety an<br>Boiling Point<br>pH<br>Flash Point<br>Solidification Temperature<br>Density<br>SOLVENT<br>Boiling Point/Range | and chemic | L PROPERTIES<br>cal properties<br>Clear Liquid<br>Violet<br>Slight oil/alcohol smell<br>mental information:<br>> >140 °C<br>(as per ASTM D 1298)<br>>>140 °C   |  |
| Information on basic physical<br>Appearance:<br>Physical state<br>Colour<br>Odour<br>Important health, safety an<br>Boiling Point<br>pH<br>Flash Point<br>Solidification Temperature<br>Density<br>SOLVENT                        | and chemic | L PROPERTIES<br>cal properties<br>Clear Liquid<br>Violet<br>Slight oil/alcohol smell<br>mental information:<br>> 140 °C<br>not measurable<br>> 35 °C (as per ASTM D93)   |  |

### SECTION 10: STABILITY AND REACTIVITY

### 10.1 Reactivity

The product is stable under normal conditions.

**10.2 <u>Chemical stability</u>** The product is stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

### 10.4 Conditions to avoid

Avoid all possible sources of ignition (spark or flame).

### 10.5 Incompatible materials

Avoid strong oxidisers, inorganic acids, organic peroxides

### 10.6 Hazardous decomposition products

Metal oxides and carbon oxides. At pyrolysis temperature in excess of 1000 °C possible formation of metal oxides, CO, CO2, and vapours of acid decomposition.

# Safety Data Sheet

according to Regulation (EU) 2015/830 Revision date: 31/05/2018

Version: 04

### SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1 Information on Toxicological effects

### Potential Acute health effects:

| Folential Acute health enects.   |         |
|--|---------|
| Inhalation : Can cause central nervous system (CNS) depression. Ma drowsiness or dizziness.  | y cause |
| Ingestion : Can cause central nervous system (CNS) depression. Mai<br>fatal if swallowed and enters airways. Irritating to mouth, th<br>and stomach. | ,       |
| Skin contact : May cause skin irritation.  |         |
| Eye contact : May cause eye irritation.  |         |

### Acute Toxicity:

| Product name / ingredient | Result                    | Species | Dose        | Exposure |
|---------------------------|---------------------------|---------|-------------|----------|
| White Spirits             | LD50<br>Oral              | * Rat   | >2000 mg/kg | -        |
| White Spirits             | LD50<br>Dermal            | * Rat   | >2000 mg/kg | -        |
| White Spirits             | LD50<br>Inhalation vapour | * Rat   | >5 mg/l     | -        |
| Cobalt                    | LD50                      | *Rat    | 6.17 g/kg   |          |
|                           | Oral                      |         |             |          |

\*Test results on an analogous product.

### SECTION 12 : ECOLOGICAL INFORMATION

### 12.1 Toxicity

| Product name / ingredient | Test      | Result             | Species                          | Exposure |
|---------------------------|-----------|--------------------|----------------------------------|----------|
| White Spirits             | Estimated | 1 < LC50 ≤ 10 mg/l | Fish                             | -        |
|                           | Estimated | 1 < EC50 ≤ 10 mg/l | Daphnia                          | -        |
|                           | Estimated | 1 < IC50 ≤ 10 mg/l | Algae                            | -        |
|                           | Estimated | 1 < IC50 ≤ 10 mg/l | Bacteria                         | -        |
|                           | Estimated | 1 < EC50 ≤ 10 mg/l | Sewage<br>Treatment<br>Organisms | -        |

**12.2** Persistence and degradability: No data available.

### **12.3 <u>Bioaccumulative potential</u>** No data available.

12.4 Mobility

No data available.

Safety Data Sheet

according to Regulation (EU) 2015/830 Revision date: 31/05/2018

Version: 04

# SECTION 13: DISPOSAL CONSIDERATIONS 13.1 Waste treatment methods Product Methods of disposal : Examine possibilities for re-utilisation. Product residues and uncleaned empty containers should be packaged, sealed, labelled, and disposed of or recycled according to relevant national and local regulations. Where large quantities are concerned, consult the supplier. Do not dispose into the environment, in drains or in water courses. Waste material should not be allowed to contaminate soil or water. Packaging Methods of disposal : Disposal should be in accordance with applicable regional, national, and

local laws and regulations.

### SECTION 14 : TRANSPORT INFORMATION

|  | ADR / RID                                     | ADN   | IMDG  | ΙΑΤΑ   |
|--|---|---|---|--|
| 14.1 UN Number                         | UN1263  | UN1263  | UN1263  | UN1993   |
| 14.2 UN Proper<br>shipping name        | PAINT RELATED<br>MATERIAL (COBALT<br>OCTOATE) | PAINT RELATED<br>MATERIAL (COBALT<br>OCTOATE) | PAINT RELATED<br>MATERIAL (COBALT<br>OCTOATE) | FLAMMABLE LIQUID,<br>N.O.S (COBALT<br>OCTOATE) |
| 14.3 Transport<br>hazard class / marks |   |   |   |  |
| 14.4 Packing Group                     | =   | Ш   | =   | Ш  |
| 14.5 Environmental<br>hazards          | Yes   | Yes   | Yes   | Yes  |

14.6 <u>Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code</u> : Not available

### SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulation/legislation specific for the substance or mixture

| EC Label Name<br>EC Classification<br>EC Symbol | :<br>:<br>: | Low Aromatic White Spirits<br>Flammable, Dangerous for the environment<br>N |
|---|-------------|---|
| EINECS (EC)                                     | :           | 265-185-4   |
| MITI (Japan)                                    | :           | 9-1699  |
| TSCA (USA)                                      | :           | Listed  |
| AICS (Australia)                                | :           | Listed  |
| DSL (Canada)                                    | :           | Listed  |
| TCCL (Korea)                                    | :           | 9212-4362   |
| PICCS (Philippines)                             | :           | Listed  |

# Safety Data Sheet

according to Regulation (EU) 2015/830 Revision date: 31/05/2018

Version: 04

| SECTION 16: OTHER INFORMATION   |   |
|---|---|
| Abbreviations and acronyms<br>ATE<br>CLP<br>DNEL<br>EUH statement             | Acute toxicity estimate     Classification, Labelling and Packaging Regulation     [Regulation (EC) No. 1272/2008]     Derived No Effect level     CLP-specific Hazard statement  |
| PBT<br>PNEC<br>RRN<br>vPvB  | <ul> <li>Persistent, Bio-accumulative and Toxic</li> <li>Predicted No Effect Concentration</li> <li>REACH Registration number</li> <li>Very Persistent and very Bio-accumulative</li> </ul>   |
| Full Text of abbreviated H statements<br>H226<br>H304<br>H315<br>H336<br>H411 | <ul> <li>Flammable liquid and vapour.</li> <li>May be fatal if swallowed and enters airways.</li> <li>Causes skin irritation.</li> <li>May cause drowsiness or dizziness.</li> <li>Toxic to aquatic life with long lasting effects</li> </ul> |

| DATE OF PREVIOUS VERSION | : | 01/10/2012 |
|--------------------------|---|------------|
| REVISION REASON          | : | GHS Format |

The information and recommendations contained herein are believed to be accurate and reliable at the time of issue. It is however the user's responsibility to satisfy itself that the product is suitable for the intended use. No warranties, either implied or expressed, shall be extended as to the accuracy or completeness of the information contained herein, and we assume no responsibility regarding the suitability of the information for the user's intended purposes or for the consequences of its use.